Journal of Crystal Growth 120 (1992) 399–404
North-Holland

JOURNAL OF CRYSTAL GROWTH

Author index

Abernathy, C.R. and D.A. Bohling, Low temperature growth of AlGaAs by MOMBE (CBE) using trimethylamine alane 120 (1992) 195
Abernathy, C.R., F. Ren, S.J. Pearton, T.R. Fullowan, R.K. Montgomery, P.W. Wisk, J.R. Lothian, P.R. Smith and R.N. Nottenburg, Growth of GaAs/ AlGaAs HBTs by MOMBE (CBE) 120 (1992) 234
Aketagawa, K., see Tatsumi 120 (1992) 275
Alexandre, F., see Benchimol 120 (1992) 189
Allenson, M.B., see Lane 120 (1992) 245
Amin, S.J., see Skevington 120 (1992) 135
Amin, S.J., see Skevington 120 (1992) 328
Ando, H., T. Fujii, A. Sandhu, T. Takahashi, H. Ishikawa, N. Okamoto and N. Yokoyama, Growth of carbon-doped base GaAs/AlGaAs HBT by gas-source MBE using TEG, TEA, TMG, AsH_3, and Si_2H_6 120 (1992) 228
Ando, H., see Sandhu 120 (1992) 296
Antolini, A., see Genova 120 (1992) 333
Armstrong, J.V., T. Farrell, T.B. Joyce, P. Kightley, T.J. Bullough and P.J. Goodhew, Monitoring real-time CBE growth of GaAs and AlGaAs using dynamic optical reflectivity 120 (1992) 84
Armstrong, J.V., see Farrell 120 (1992) 395
Armstrong, S.R., R.D. Hoare, M.E. Pemble, I.M. Povey, A. Stafford and A.G. Taylor, Optical second harmonic generation studies of the nature of the GaAs(100) surface in air 120 (1992) 94
Asahi, H., see Kaneko 120 (1992) 39
Asahi, H., T. Kaneko, Y. Okuno, Y. Itani, K. Asami and S. Gonda, MOMBE growth characteristics of antimonide compounds 120 (1992) 252
Asami, K., see Asahi 120 (1992) 252
Asonen, H., see Tappura 120 (1992) 145
Asonen, H., see Zhang 120 (1992) 172
Aspnes, D.E., R. Bhat, C. Caneau, E. Colas, L.T. Florez, S. Gregory, J.P. Harbison, I. Kamiya, V.G. Keramidas, M.A. Koza, M.A.A. Pudensi, W.E. Quinn, S.A. Schwarz, M.C. Tamargo and H. Tanaka, Optically monitoring and controlling epitaxial growth 120 (1992) 71
Ball, G., see Lane 120 (1992) 245
Ballingall, J., see Hersee 120 (1992) 218
Ban, V.S., see Jones 120 (1992) 150
Barrau, J., see Starck 120 (1992) 180
Baur, B., see Heinecke 120 (1992) 140
Baur, B., see Beer 120 (1992) 312
Baur, B., see Heinecke 120 (1992) 376
Beer, K., B. Baur, H. Heinecke and R. Treichler, Improvements in silicon doping of InP and GaInAs in metalorganic molecular beam epitaxy 120 (1992) 312
Benchimol, J.L., X.Q. Zhang, Y. Gao, G. Le Roux, H. Thibierge and F. Alexandre, Chemical beam epitaxy of AlGaAs and AlInAs using trimethylamine alane precursor 120 (1992) 189
Bensaoula, A., see Roth 120 (1992) 212
Bhat, R., see Aspnes 120 (1992) 71
Bhat, R., Current status of selective area epitaxy by OMCVD 120 (1992) 362
Bhattacharya, P.K., see Sherwin 120 (1992) 162
Bohling, D.A., see Abernathy 120 (1992) 195
Bonnevie, D., see Goldstein 120 (1992) 157
Boulou, M., see Starck 120 (1992) 349
Bradley, R.R., see Woodhouse 120 (1992) 323
Brillouet, F., see Pagnod-Rossiaux 120 (1992) 317
Brock, T., see Munns 120 (1992) 184
Bullough, T.J., see Armstrong 120 (1992) 84
Bullough, T.J., see Joyce 120 (1992) 206
Bullough, T.J., see Farrell 120 (1992) 395

Caneau, C., see Aspnes 120 (1992) 71
Carlin, J.F., A. Rudra, R. Houdré, P. Ruterana and M. Ilegems, Effect of growth interruptions on ultra-thin InAs/InP quantum wells grown by chemical beam epitaxy 120 (1992) 155
Carlin, J.F., see Rudra 120 (1992) 338
Chin, A., see Hersee 120 (1992) 218
Chiu, T.H., see Cunningham 120 (1992) 306
Chiu, T.H., M.D. Williams, J.E. Zucker, F.G. Storz and S.N.G. Chu, CBE growth of InGaAsP/InP multiple quantum wells for optical modulator applications 120 (1992) 343
Choi, K.Y., see Edwards 120 (1992) 78
Choi, K.Y., see Droopad 120 (1992) 200
Christer, J., see Stagg 120 (1992) 98

Chu, S.N.G., see Chiu 120 (1992) 343
Clérot, F., see Le Corre 120 (1992) 353
Colas, E., see Aspnes 120 (1992) 71
Crawley, J., see Stagg 120 (1992) 98
Cremer, C., see Heinecke 120 (1992) 376
Crouch, M.A., see Lane 120 (1992) 245
Cullis, A.G., see Lane 120 (1992) 245
Cunningham, J.E., M. Williams, T.H. Chiu, W. Jan, F. Storz and E. Westerwick, Confinement of δ Be at the one monolayer level in GaAs 120 (1992) 306

Davies, G.J., see Singh 120 (1992) 33
Davies, G.J., see Foord 120 (1992) 103
Davies, G.J., see Skevington 120 (1992) 328
Davies, G.J., P.J. Skevington, C.L. French and J.S. Foord, Selective area growth of III–V compound semiconductors by chemical beam epitaxy 120 (1992) 369
Dawsey, J.R., see Lane 120 (1992) 245
Deppert, K., S. Jeppesen, J. Jönsson, G. Paulsson and L. Samuelson, Effects of pressure and temperature on RD detected growth oscillations 120 (1992) 88
Domen, K., see Sandhu 120 (1992) 296
Droopad, R., see Edwards 120 (1992) 78
Droopad, R., K.T. Shiralagi, R.A. Puechner, K.Y. Choi and G.N. Maracas, Low temperature GaAs grown by gas source molecular beam epitaxy 120 (1992) 200
Durel, S., see Le Corre 120 (1992) 353

Edwards, J.L., G.N. Maracas, K.T. Shiralagi, K.Y. Choi and R. Droopad, In-situ and ex-situ characterization of GaAs/AlAs quantum well structures using spectroscopy ellipsometry 120 (1992) 78
Emeis, N., see Heinecke 120 (1992) 140
Emery, J.-Y., see Goldstein 120 (1992) 157
Emery, J.-Y., see Starck 120 (1992) 180

Farrell, T., see Armstrong 120 (1992) 84
Farrell, T., J.V. Armstrong, T.B. Joyce, T.J. Bullough, P. Kightley and P.J. Goodhew, XeCl excimer laser assisted CBE growth of GaAs 120 (1992) 395
FitzGerald, E.T., C.L. French and J.S. Foord, Surface chemical studies of the influence of In and Al on the decomposition of TEG on GaAS(100) 120 (1992) 57
FitzGerald, E.T., see Foord 120 (1992) 103
Flemish, J.R., see Jones 120 (1992) 150
Florez, L.T., see Aspnes 120 (1992) 71
Foord, J.S., see Singh 120 (1992) 33
Foord, J.S., see FitzGerald 120 (1992) 57
Foord, J.S., see French 120 (1992) 63
Foord, J.S., N.K. Singh, E.T. FitzGerald, G.J. Davies and A.C. Jones, Applications of MBMS and surface spectroscopic techniques in the study of reaction mechanisms in CBE; investigations of the reactivity of tritertiarybutylgallium and triisobutylgallium as alternative precursors for epilayer growth 120 (1992) 103
Foord, J.S., see Davies 120 (1992) 369
Foxon, C.T., see Lacklison 120 (1992) 50
Francesio, L., see Genova 120 (1992) 333
French, C.L., see FitzGerald 120 (1992) 57
French, C.L., and J.S. Foord, Reaction kinetics for the CBE growth of GaAs from triethylgallium; computer modelling studies incorporating recent surface spectroscopic data 120 (1992) 63
French, C.L., see Davies 120 (1992) 369
Fujii, T., see Ando 120 (1992) 228
Fujii, T., see Sandhu 120 (1992) 296
Fullowan, T.R., see Abernathy 120 (1992) 234

Gaborit, F., see Goldstein 120 (1992) 157
Gaborit, F., see Pagnod-Rossiaux 120 (1992) 317
Gailhanou, M., see Rudra 120 (1992) 338
Gao, Y., see Benchimol 120 (1992) 189
Garabedian, P., see Pagnod-Rossiaux 120 (1992) 317
Gastaldi, L., see Genova 120 (1992) 333
Gates, S.M., Kinetics and mechanisms of surface reactions in epitaxial growth of Si from SiH_4 and Si_2H_6 120 (1992) 269
Genova, F., A. Antolini, L. Francesio, L. Gastaldi, C. Lamberti, C. Papuzza and C. Rigo, Influence of growth parameters on the interface abruptness in CBE-grown InGaAs/InP QWs and SLs 120 (1992) 333
Gibson, E.M., see Lacklison 120 (1992) 50
Gill, S.S., see Lane 120 (1992) 245
Goldstein, L., C. Starck, J.-Y. Emery, F. Gaborit, D. Bonnevie, F. Poingt and M. Lambert, Optoelectronic devices by gas source molecular beam epitaxy 120 (1992) 157
Goldstein, L., see Starck 120 (1992) 180
Gonda, S., see Kaneko 120 (1992) 39
Gonda, S., see Asahi 120 (1992) 252
Goodhew, P.J., see Armstrong 120 (1992) 84
Goodhew, P.J., see Joyce 120 (1992) 206
Goodhew, P.J., see Farrell 120 (1992) 395
Goto, S., see Isu 120 (1992) 45
Goto, S., Y. Morishita, Y. Nomura, Y. Katayama and T. Isu, Hillock formation observed in MOMBE of InGaAs grown on a patterned GaAs substrate 120 (1992) 382
Gregory, S., see Aspnes 120 (1992) 71

Haddad, G.I., see Munns 120 (1992) 184
Hakkarainen, T., see Tappura 120 (1992) 145
Hakkarainen, T., see Zhang 120 (1992) 172
Halliwell, M.A.G., see Skevington 120 (1992) 328
Harbison, J.P., see Aspnes 120 (1992) 71
Hata, M., see Isu 120 (1992) 45

Heinecke, H., B. Baur, N. Emeis and M. Schier, Growth of highly uniform InP/GaInAs/GaInAsP heterostructures by MOMBE for device integration 120 (1992) 140
Heinecke, H., see Beer 120 (1992) 312
Heinecke, H., B. Baur, R. Schimpe, R. Matz, C. Cremer, R. Höger and A. Miklis, Selective area epitaxy of InP/GaInAsP heterostructures by MOMBE 120 (1992) 376
Hersee, S.D., L. Yang, M. Kao, P. Martin, J. Mazurowski, A. Chin and J. Ballingall, MOMBE GaAs and AlGaAs for microelectronic devices 120 (1992) 218
Hincelin, G., M. Zahzouh, R. Mellet and A.M. Pougnet, Growth of InP in chemical beam epitaxy with high purity tertiarybutylphosphine 120 (1992) 119
Hiroi, M., see Tatsumi 120 (1992) 275
Hiroi, M. and T. Tatsumi, Selective epitaxial growth of $Si_{1-x}Ge_x$ by cold-wall ultrahigh vacuum chemical vapor deposition using disilane and germane 120 (1992) 279
Hoare, R.D., see Armstrong 120 (1992) 94
Höger, R., see Heinecke 120 (1992) 376
Hou, H.Q. and C.W. Tu, InGaAsP/InP multiple quantum wells grown by gas-source molecular beam epitaxy 120 (1992) 167
Houdré, R., see Carlin 120 (1992) 155
Houlton, M., see Lane 120 (1992) 245
Hughes, B.T., see Lane 120 (1992) 245

Iga, K., see Uchida 120 (1992) 357
Iga, R., see Yamada 120 (1992) 177
Iga, R., see Sugiura 120 (1992) 389
Ilegems, M., see Carlin 120 (1992) 155
Ilegems, M., see Rudra 120 (1992) 338
Ishikawa, H., see Ando 120 (1992) 228
Isu, T., M. Hata, Y. Morishita, Y. Nomura, S. Goto and Y. Katayama, Surface diffusion length during MOMBE and CBE growth measured by μ-RHEED 120 (1992) 45
Isu, T., see Goto 120 (1992) 382
Itani, Y., see Asahi 120 (1992) 252
Itoh, K., see Koide 120 (1992) 284

Jan, W., see Cunningham 120 (1992) 306
Jeppesen, S., see Deppert 120 (1992) 88
Jones, A.C., see Foord 120 (1992) 103
Jones, K.A., J.R. Flemish, H. Shen and V.S. Ban, Incorporation of phosphorus during gas phase epitaxy 120 (1992) 150
Jönsson, J., see Deppert 120 (1992) 88
Joyce, B.A., see Lacklison 120 (1992) 50
Joyce, B.A., see Mokler 120 (1992) 290
Joyce, T.B., see Armstrong 120 (1992) 84
Joyce, T.B., T.J. Bullough, P. Kightley, C.J. Kiely, Y.R. Xing and P.J. Goodhew, CBE growth of GaAs/GaAs, GaAs/Si and AlGaAs/GaAs using TEG, AsH_3 and amine-alane precursors 120 (1992) 206
Joyce, T.B., see Farrell 120 (1992) 395

Kamiya, I., see Aspnes 120 (1992) 71
Kamp, M., F. König, G. Mörsch and H. Lüth, New aluminium precursors for MOMBE (CBE): a comparative study 120 (1992) 124
Kaneko, T., H. Asahi and S. Gonda, Theoretical consideration of the growth kinetics for GaAs and GaSb 120 (1992) 39
Kaneko, T., see Asahi 120 (1992) 252
Kao, M., see Hersee 120 (1992) 218
Katayama, Y., see Isu 120 (1992) 45
Katayama, Y., see Goto 120 (1992) 382
Keramidas, V.G., see Aspnes 120 (1992) 71
Kiely, C.J., see Joyce 120 (1992) 206
Kightley, P., see Armstrong 120 (1992) 84
Kightley, P., see Joyce 120 (1992) 206
Kightley, P., see Farrell 120 (1992) 395
Koide, Y., S. Zaima, K. Itoh and Y. Yasuda, In-situ RHEED study on the effect of light irradiation on Ge/Si heteroepitaxial growth by GeH_4 source MBE 120 (1992) 284
Konagai, M., Wide band-gap II–VI compounds grown by MOMBE 120 (1992) 261
Konagai, M., see Tokumitsu 120 (1992) 301
König, F., see Kamp 120 (1992) 124
Koyama, F., see Uchida 120 (1992) 357
Koza, M.A., see Aspnes 120 (1992) 71
Kwon, Y., see Munns 120 (1992) 184

Lacelle, C., see Roth 120 (1992) 212
Lacklison, D.E., C.T. Foxon, J. Zhang, B.A. Joyce and E.M. Gibson, RHEED studies of MOMBE growth using TMGa or TEGa with As_2 120 (1992) 50
Lambert, B., see Le Corre 120 (1992) 353
Lambert, M., see Goldstein 120 (1992) 157
Lambert, M., see Pagnod-Rossiaux 120 (1992) 317
Lamberti, C., see Genova 120 (1992) 333
Lane, P.A., see Martin 120 (1992) 25
Lane, P.A., C.R. Whitehouse, T. Martin, M. Houlton, G.M. Williams, A.G. Cullis, S.S. Gill, J.R. Dawsey, G. Ball, B.T. Hughes, M.A. Crouch and M.B. Allenson, CBE growth of GaAs/GaAlAs HBTs using the new DEAlH–NMe_3 precursor and all-gaseous dopants 120 (1992) 245
Le Corre, A., S. Durel, F. Clérot, B. Lambert, A. Poudoulec, S. Salaün and D. Lecrosnier, Critical layer thickness of $In_{0.82}Ga_{0.18}As$/InP quantum wells 120 (1992) 353
Le Gouezigou, L., see Pagnod-Rossiaux 120 (1992) 317
Le Roux, G., see Benchimol 120 (1992) 189
Lecrosnier, D., see Le Corre 120 (1992) 353

Liu, W.K., see Mokler 120 (1992) 290
Lothian, J.R., see Abernathy 120 (1992) 234
Lüth, H., see Kamp 120 (1992) 124
Lyons, M.H., see Skevington 120 (1992) 328

Maigné, P., see Roth 120 (1992) 212
Mallecot, F., see Starck 120 (1992) 349
Maracas, G.N., see Edwards 120 (1992) 78
Maracas, G.N., see Droopad 120 (1992) 200
Martin, P., see Hersee 120 (1992) 218
Martin, T., C.R. Whitehouse and P.A. Lane, Growth reactions and mechanisms in chemical beam epitaxy (CBE) 120 (1992) 25
Martin, T., see Lane 120 (1992) 245
Matabon, M., see Starck 120 (1992) 180
Matz, R., see Heinecke 120 (1992) 376
Mazurowski, J., see Hersee 120 (1992) 218
Mellet, R., see Hincelin 120 (1992) 119
Miklis, A., see Heinecke 120 (1992) 376
Misawa, S., see Okumura 120 (1992) 114
Miyamoto, T., see Uchida 120 (1992) 357
Mokler, S.M., W.K. Liu, N. Ohtani and B.A. Joyce, RHEED studies of the growth of Si(001) by gas source MBE from disilane 120 (1992) 290
Mollot, F., see Starck 120 (1992) 349
Montgomery, R.K., see Abernathy 120 (1992) 234
Morishita, Y., see Isu 120 (1992) 45
Morishita, Y., see Goto 120 (1992) 382
Morris, D., see Roth 120 (1992) 212
Mörsch, G., see Kamp 120 (1992) 124
Müller, R., see Rothfritz 120 (1992) 130
Müller, R., see Tränkle 120 (1992) 240
Munns, G.O., see Sherwin 120 (1992) 162
Munns, G.O., M.E. Sherwin, T. Brock, G.I. Haddad, Y. Kwon, G.I. Ng and D. Pavilidis, InAlAs/InGaAs/InP sub-micron HEMTs grown by CBE 120 (1992) 184

Nakamura, T., see Sandhu 120 (1992) 296
Newman, R.C., see Woodhouse 120 (1992) 323
Ng, G.I., see Munns 120 (1992) 184
Nichols, D.T., see Sherwin 120 (1992) 162
Nicklin, R., see Woodhouse 120 (1992) 323
Noguchi, Y., see Yamada 120 (1992) 177
Nomura, Y., see Isu 120 (1992) 45
Nomura, Y., see Goto 120 (1992) 382
Nottenburg, R.N., see Abernathy 120 (1992) 234
Nozaki, S., see Tokumitsu 120 (1992) 301

Ohtani, N., see Mokler 120 (1992) 290
Okamoto, N., see Ando 120 (1992) 228
Okamoto, N., see Sandhu 120 (1992) 296
Okumura, H., S. Yoshida, S. Misawa and E. Sakuma, Epitaxial growth of GaAs and GaN by gas source molecular beam epitaxy using organic group V compounds 120 (1992) 114
Okuno, Y., see Asahi 120 (1992) 252

Pagnod-Rossiaux, Ph., M. Lambert, F. Gaborit, F. Brillouet, P. Garabedian and L. Le Gouezigou, Growth of semi-insulating InP by GSMBE 120 (1992) 317
Papuzza, C., see Genova 120 (1992) 333
Paulsson, G., see Deppert 120 (1992) 88
Pavilidis, D., see Munns 120 (1992) 184
Pearton, S.J., see Abernathy 120 (1992) 234
Pemble, M.E., see Armstrong 120 (1992) 94
Pessa, M., see Zhang 120 (1992) 172
Peyre, J.-L., see Starck 120 (1992) 349
Poingt, F., see Goldstein 120 (1992) 157
Poudoulec, A., see Le Corre 120 (1992) 353
Pougnet, A.M., see Hincelin 120 (1992) 119
Povey, I.M., see Armstrong 120 (1992) 94
Pudensi, M.A.A., see Aspnes 120 (1992) 71
Puechner, R.A., see Droopad 120 (1992) 200

Qi, M., see Tokumitsu 120 (1992) 301
Quinn, W.E., see Aspnes 120 (1992) 71

Rakennus, K., see Tappura 120 (1992) 145
Rakennus, K., see Zhang 120 (1992) 172
Rejman-Greene, M.A.Z., see Skevington 120 (1992) 328
Ren, F., see Abernathy 120 (1992) 234
Rigo, C., see Genova 120 (1992) 333
Roth, A.P., D. Morris, Q. Sun, C. Lacelle, Z. Wasilewski, P. Maigné and A. Bensaoula, Anisotropy in InGaAs/GaAs heterostructures grown by low-pressure MOVPE and CBE 120 (1992) 212
Rothfritz, H., G. Tränkle, R. Müller and G. Weimann, High-quality InP grown by chemical beam epitaxy 120 (1992) 130
Rothfritz, H., see Tränkle 120 (1992) 240
Rudra, A., see Carlin 120 (1992) 155
Rudra, A., J.F. Carlin, P. Ruterana, M. Gailhanou, J.L. Staehli and M. Ilegems, Growth of GaInAs(P) and GaInAsP/GaInAs MQW structures by CBE 120 (1992) 338
Ruterana, P., see Carlin 120 (1992) 155
Ruterana, P., see Rudra 120 (1992) 338

Sakai, J., see Tatsumi 120 (1992) 275
Sakuma, E., see Okumura 120 (1992) 114
Salaün, S., see Le Corre 120 (1992) 353
Samuelson, L., see Deppert 120 (1992) 88
Sandhu, A., see Ando 120 (1992) 228
Sandhu, A., T. Nakamura, H. Ando, K. Domen, N. Okamoto and T. Fujii, The electrical, optical and crystalline properties of GaAs:C grown by GSMBE using TMG and AsH_3 for application to HBTs 120 (1992) 296
Sangster, M.J.L., see Woodhouse 120 (1992) 323
Schier, M., see Heinecke 120 (1992) 140
Schimpe, R., see Heinecke 120 (1992) 376
Schwarz, S.A., see Aspnes 120 (1992) 71

Shen, H., see Jones 120 (1992) 150
Sherwin, M.E., G.O. Munns, D.T. Nichols, P.K. Bhattacharya and F.L. Terry, Jr., The growth of InGaAsP by CBE for SCH quantum well lasers operating at 1.55 and 1.4 μm 120 (1992) 162
Sherwin, M.E., see Munns 120 (1992) 184
Shirakashi, J., see Tokumitsu 120 (1992) 301
Shiralagi, K.T., see Edwards 120 (1992) 78
Shiralagi, K.T., see Droopad 120 (1992) 200
Simes, R.J., see Starck 120 (1992) 180
Singh, N.K., J.S. Foord, P.J. Skevington and G.J. Davies, Growth and MBMS studies of reaction mechanisms for $In_xGa_{1-x}As$ CBE 120 (1992) 33
Singh, N.K., see Foord 120 (1992) 103
Skevington, P.J., see Singh 120 (1992) 33
Skevington, P.J., and S.J. Amin, Control of growth temperature at the onset of $In_{0.53}Ga_{0.47}As$ growth by chemical beam epitaxy 120 (1992) 135
Skevington, P.J., M.A.G. Halliwell, M.H. Lyons, S.J. Amin, M.A.Z. Rejman-Greene and G.J. Davies, Growth of InP/InGaAs multiple quantum well structures by chemical beam epitaxy 120 (1992) 328
Skevington, P.J., see Davies 120 (1992) 369
Smith, P.R., see Abernathy 120 (1992) 234
Staehli, J.L., see Rudra 120 (1992) 338
Stafford, A., see Armstrong 120 (1992) 94
Stagg, J.P., J. Christer, E.J. Thrush and J. Crawley, Measurement and control of reagent concentrations in MOCVD reactor using ultrasonics 120 (1992) 98
Starck, C., see Goldstein 120 (1992) 157
Starck, C., J.-Y. Emery, R.J. Simes, M. Matabon, L. Goldstein and J. Barrau, Strained quaternary GaInAsP quantum well laser emitting at 1.5 μm grown by gas source molecular beam epitaxy 120 (1992) 180
Starck, C., F. Mollot, F. Mallecot, J.-L. Peyre and M. Boulou, Well-size dependence of electro-optic effects in GaInAsP/InP quantum wells grown by GSMBE 120 (1992) 349
Storz, F.G., see Cunningham 120 (1992) 306
Storz, F.G., see Chiu 120 (1992) 343
Sugiura, H., see Yamada 120 (1992) 177
Sugiura, H., R. Iga and T. Yamada, Laser-assisted chemical beam epitaxy for selective growth 120 (1992) 389
Sun, Q., see Roth 120 (1992) 212

Takahashi, K., see Tokumitsu 120 (1992) 301
Takahashi, T., see Ando 120 (1992) 228
Tamargo, M.C., see Aspnes 120 (1992) 71
Tanaka, H., see Aspnes 120 (1992) 71
Tappura, K., T. Hakkarainen, K. Rakennus and H. Asonen, Temperature dependency of the composition of GaInAsP grown by GSMBE 120 (1992) 145
Tappura, K., see Zhang 120 (1992) 172
Tatsumi, T., K. Aketagawa, M. Hiroi and J. Sakai, Selective epitaxial growth by UHV-CVD using Si_2H_6 and Cl_2 120 (1992) 275
Tatsumi, T., see Hiroi 120 (1992) 279
Taylor, A.G., see Armstrong 120 (1992) 94
Terry, Jr., F.L., see Sherwin 120 (1992) 162
Thibierge, H., see Benchimol 120 (1992) 189
Thrush, E.J., see Stagg 120 (1992) 98
Tokumitsu, E., J. Shirakashi, M. Qi, T. Yamada, S. Nozaki, M. Konagai and K. Takahashi, Heavily carbon-doped p-type InGaAs by MOMBE 120 (1992) 301
Tränkle, G., see Rothfritz 120 (1992) 130
Tränkle, G., H. Rothfritz, R. Müller and G. Weimann, CBE growth of high-quality AlGaAs/GaAs heterostructures for HEMT applications 120 (1992) 240
Treichler, R., see Beer 120 (1992) 312
Tsang, W.T., Advances in MOVPE, MBE, and CBE 120 (1992) 1
Tu, C.W., see Hou 120 (1992) 167

Uchida, T., T.K. Uchida, N. Yokouchi, T. Miyamoto, F. Koyama and K. Iga, Photoluminescence characterization of $Ga_xIn_{1-x}As$ ($0 \leq x \leq 0.32$) strained quantum wells grown on InP by chemical beam epitaxy 120 (1992) 357
Uchida, T.K., see Uchida 120 (1992) 357

Wasilewski, Z., see Roth 120 (1992) 212
Weimann, G., see Rothfritz 120 (1992) 130
Weimann, G., see Tränkle 120 (1992) 240
Westerwick, E., see Cunningham 120 (1992) 306
Whitehouse, C.R., see Martin 120 (1992) 25
Whitehouse, C.R., see Lane 120 (1992) 245
Williams, G.M., see Lane 120 (1992) 245
Williams, M.D., see Cunningham 120 (1992) 306
Williams, M.D., see Chiu 120 (1992) 343
Wisk, P.W., see Abernathy 120 (1992) 234
Woodhouse, K., R.C. Newman, R. Nicklin, R.R. Bradley and M.J.L. Sangster, The lattice sites of carbon and hydrogen incorporated in GaAs grown by MOVPE revealed by infrared spectroscopy 120 (1992) 323

Xing, Y.R., see Joyce 120 (1992) 206

Yamada, T., R. Iga, Y. Noguchi and H. Sugiura, CBE growth of low threshold 1.5 μm InGaAs/InGaAsP MQW lasers 120 (1992) 177
Yamada, T., see Tokumitsu 120 (1992) 301

Yamada, T., see Sugiura 120 (1992) 389
Yang, L., see Hersee 120 (1992) 218
Yasuda, Y., see Koide 120 (1992) 284
Yokouchi, N., see Uchida 120 (1992) 357
Yokoyama, N., see Ando 120 (1992) 228
Yoshida, S., see Okumura 120 (1992) 114

Zahzouh, M., see Hincelin 120 (1992) 119
Zaima, S., see Koide 120 (1992) 284
Zhang, G., T. Hakkarainen, K. Rakennus, K. Tappura, H. Asonen and M. Pessa, Low dark current $In_{0.53}Ga_{0.47}As/InP$ SAM avalanche photodiodes grown by gas-source MBE 120 (1992) 172
Zhang, J., see Lacklison 120 (1992) 50
Zhang, X.Q., see Benchimol 120 (1992) 189
Zucker, J.E., see Chiu 120 (1992) 343

Journal of Crystal Growth 120 (1992) 405–406
North-Holland

JOURNAL OF CRYSTAL GROWTH

Subject index

Aluminum
– antimonide 25
– gallium arsenide 84, 124, 189, 195, 206, 218, 228, 234, 240, 323, 362
Antimonides
– of group III elements 252
Apparatus
– for thin film growth
– – by chemical beam epitaxy
– – – laser assisted
– – – – of gallium arsenide 395
– – – – of III–V compounds 389
– – by molecular beam epitaxy
– – – using light irradiation
– – – – of germanium 284
– for miscellaneous purposes
– – dynamic optical reflectivity 84
– – measurement of second harmonic generation 94
– – metalorganic molecular beam epitaxy of zinc chalcogenides 261
– – monitoring concentration of gas mixtures 98
– – ultrahigh vacuum chemical vapor deposition 279

Characterization methods
– by Auger electron spectroscopy 57, 103
– by cross-section transmission electron microscopy 245
– by direct recoil experiments 269
– by electrical methods 119, 124, 130, 140, 172, 180, 184, 200, 218, 228, 234, 240, 245, 261, 296, 301, 312, 317, 343, 349
– by electron microscopy 155, 157, 245, 279, 338, 343, 353, 376, 382
– by Fourier transform infrared 328
– by infrared spectroscopy 323
– by mass spectrometry 25, 33, 39, 103, 119, 284
– by optical microscopy 130, 212, 376, 382, 389
– by optical properties 84, 88, 395
– by photoluminescence 124, 130, 140, 155, 162, 167, 180, 184, 189, 195, 200, 212, 218, 240, 252, 261, 296, 312, 333, 338, 343, 349, 353, 357
– by Raman spectroscopy 296
– by reflection high energy electron diffraction 50, 114, 200, 284, 290, 306, 382
– by Rutherford back scattering 195
– by second harmonic generation 94
– by secondary ion mass spectrometry 189, 195, 206, 228, 234, 245, 301, 306, 312, 317, 343
– by spectroscopic methods 57, 63, 71, 78, 103, 130, 200, 240
– by X-ray methods 98, 114, 124, 135, 167, 184, 212, 296, 328, 333, 338, 343
– by X-ray photoelectron spectroscopy 369
Computer simulation
– of decomposition
– – of organic gallium precursors 57, 63

Devices
– lasers 157, 162, 177, 180, 317, 338
– microelectronic 218
– optical modulator applications 343
– optoelectronic 157, 167, 349, 369
– photodiodes 140, 172
– transistor 184, 218, 234, 240, 245, 296
– waveguides 140
Diffusional control 45

Gallium
– aluminum arsenide 25, 57, 245
– antimonide 25, 39
– arsenide 25, 33, 39, 45, 50, 57, 63, 71, 78, 88, 94, 103, 114, 124, 200, 206, 218, 228, 234, 240, 245, 296, 306, 323, 362, 369, 389, 395
– arsenide phosphide 389
– indium arsenide 25, 33, 57, 140, 312, 338, 357
– indium arsenide phosphide 140, 145, 157, 180, 338, 349, 376
– nitride 114
– phosphide 389
Germanium 284

Indium
– aluminum arsenide 184
– arsenide 155
– gallium arsenide 33, 98, 135, 177, 184, 212, 301, 328, 333, 382, 389
– gallium arsenide phosphide 150, 162, 167, 177, 343, 353
– phosphide 98, 119, 130, 140, 150, 157, 162, 167, 180, 184, 312, 317, 328, 333, 343, 349, 353, 357, 362, 376, 389

Kinetics
– of doping 312
– of growth 25, 33, 39, 45, 50, 57, 63, 78, 84, 88, 103, 140, 145, 150, 162, 167, 206, 252, 261, 269, 275, 279, 284, 312, 338, 343, 369, 376, 389, 395
– of interface control 155, 333, 338
– of nucleation 140

Lattice mismatch 33, 135, 150, 167, 184, 189, 328, 338

Nonlinear optics 94

Phase diagrams
– of gallium arsenide 71
Precursor
– organic aluminum 124
– organic gallium 103
– organic phosphorus 150

Quantum wells/size effects
– of GaAs/AlAs 78
– of GaInAsP/GaInAs 338
– of GaInAsP/InP 157, 162, 167, 180, 343, 349, 353
– of InAs/InP 155
– of InGaAs/InGaAsP 177
– of InP/InGaAs 328, 333, 357

Silicon 269, 279, 290
– germanium 279
Surface processes 25, 33, 57, 63, 103
Surface structure 88

Thin film growth
– by atomic layer epitaxy
– – of zinc chalcogenides 261
– by chemical beam epitaxy
– – advances in 1
– – of aluminum gallium arsenide 84, 189, 206, 240, 245
– – of aluminum indium arsenide 189
– – of gallium arsenide 33, 45, 63, 88, 103, 206, 240, 245, 369, 395
– – of indium aluminum arsenide 184
– – of indium arsenide 155
– – of indium gallium arsenide 33, 135, 177, 184, 212, 328, 333, 338, 357
– – of indium gallium arsenide phosphide 150, 162, 177, 338, 343
– – of indium phosphide 119, 130, 150, 162, 184, 328, 333, 343, 357
– – of silicon 269
– – of III–V compounds 25, 389
– by metalorganic molecular beam epitaxy
– – of aluminum gallium arsenide 124, 195, 218, 234
– – of gallium antimonide 39
– – of gallium arsenide 39, 45, 50, 114, 124, 218, 234
– – of gallium indium arsenide phosphide 140, 301, 312, 376
– – of gallium nitride 114
– – of group III antimonides 252
– – of indium gallium arsenide 382
– – of indium phosphide 312, 376
– – of zinc chalcogenides 261
– by molecular beam epitaxy
– – advances in 1
– – of aluminum gallium arsenide 228
– – of gallium arsenide 71, 78, 200, 228, 296, 306
– – of gallium indium arsenide phosphide 145, 157, 167, 180, 349, 353
– – of germanium 284
– – of indium gallium arsenide 33, 172
– – of indium phosphide 157, 167, 172, 180, 317, 349, 353
– – of silicon 290
– by vapor phase epitaxy
– – through chemical vapor deposition
– – – of silicon 269, 275
– – – of silicon–germanium 279
– – through metalorganic chemical vapor deposition
– – – advances in 1
– – – of aluminum gallium arsenide 323, 362
– – – of gallium arsenide 71, 323, 362
– – – of indium gallium arsenide 98, 212
– – – of indium gallium arsenide phosphide 150
– – – of indium phosphide 98, 150, 362

Zinc
– chalcogenides 261